



**Yes, you can:**

Tel: 01656 776222 Fax: 01656 776220  
 Email: ordersuk@invacare.com  
 Online Spares available at: www.invacare.co.uk

# Manual Retail Prescription Form

JULY 2023  
 Customer Ref:

<b>Customer Ref*</b>	<b>Account No*</b>
<b>Contact No*</b>	<b>Order No*</b>
<b>Delivery Address*</b>	<b>Order Qty*</b>
	<b>Order date*</b>

## Kuschall Champion SK 2.0

### Standard Features

- Max User Weight 120kg (19 Stone)
- Active, Lightweight Folding Fully Hydroformed Aluminium Wheelchair
- Multiple adjustments, Front and Rear Seat Heights and Centre of Gravity
- Aluminium Folding Front Frame with 75° or 90° Front Frame Angles
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims and Pneumatic Tyres
- Choice of 6 Seat Widths 360mm to 460mm (14" - 18")
- Choice of 8 Seat Depths 340mm to 480mm (13" - 19")
- Choice of 5 Standard Frame Colours
- Range of Front Seat Heights 450mm to 540mm (17" - 21")
- Range of Rear Seat Heights 390mm to 480mm (15" - 19")
- Folding Backrest, Angle Adjustable and Soft Lock Feature with Nylon Light Upholstery
- Angle and Height Adjustable Rigid Footrest, with Calf Strap
- Without Push Handles
- Flip up Carbon Clothesguards
- Unfolding Help Cord
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit



**Standard Base price: £3,134**

Please make your selection with a cross in the box    ○ Free of charge    ◆ standard feature    POA special request

Customer weight =                      KG

Code	Description	
<b>BASE PRODUCT*</b>		
DHA0031	Kuschall Champion SK 2.0	○
DHA0000	MYKÜSCHALL Special Request	○
<b>FRAME*</b>		
DHA1150	Frame Angle 75° Aluminium	○
DHA1160	Frame Angle 90° Aluminium	○
<b>SK FOLDING FRONT*</b>		
DHA1250	SK Folding Front Frame	£3,134

<b>SEAT WIDTH*</b>				
DHA1320		360 mm	(NC 2710, 2748, 7000)	○
DHA1325		380 mm	(NC 7000)	○
DHA1330		400 mm		○
DHA1335		420 mm		○
DHA1340		440 mm		○
DHA1345		460 mm		○
<b>SEAT DEPTH*</b>				
DHA1405		340 mm	(NC 2710, 2720, 2748, 2860, 7810, 7820, 7830)	○
DHA1415		360 mm	(NC 2710, 2720, 2748, 2860, 7810, 7820, 7830)	○
DHA1425		380 mm	(NC 2720)	○
DHA1435		400 mm		○
DHA1445		420 mm		○
DHA1460		440 mm		○
DHA1470		460 mm		○
DHA1480		480 mm	(NC 2710, 2748)	○
<b>BACK HEIGHT*</b>				
DHA1600		Back Height for 3rd party backrest. Final height depends on the height of the positioning backrest, select if MatrX/Fixed backrest is required.	(NC 2200, 2220, 2230)	◆
DHA1615		300 mm	(NC 2200, 2240, 2400)	○
DHA1620		315 mm	(NC 2200, 2240, 2400)	○
DHA1625		330 mm	(NC 2240)	○
DHA1630		345 mm	(NC 2240)	○
DHA1635		360 mm	(NC 2240)	○
DHA1640		375 mm	(NC 2240)	○
DHA1645		390 mm	(NC 2240)	○
DHA1650		405 mm	(NC 2240)	○
DHA1655		420 mm	(NC 2240)	○
DHA1660		435 mm	(NC 2240)	○
DHA1665		450 mm	(NC 2240)	○
DHA1670		465 mm	(NC 2240)	○
<b>FRONT SEAT HEIGHT*</b>				
DHA1740		450 mm	(NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)	○
DHA1745		460 mm	(NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)	○
DHA1750		470 mm	(NC 1950, 1952, 1954, 1956, 1958, 1960)	○
DHA1755		480 mm	(NC 1952, 1954, 1956, 1958, 1960)	○
DHA1760		490 mm	(NC 1954, 1956, 1958, 1960)	○
DHA1765		500 mm	(NC 1956, 1958, 1960)	○
DHA1770		510 mm	(NC 1958, 1960)	○
DHA1775		520 mm	(NC 1960)	○
DHA1780		530 mm	(NC 5000)	○
DHA1785		540 mm	(NC 5000, 5050, 5100, 5150, 5200, 5250)	○

**REAR SEAT HEIGHT. On 75° frame, Rear Seat Height can be 0mm - 70mm lower then front seat height and 90° can be 30mm to 100mm lower\***

DHA1815		390 mm	(NC 6420, 6430)	○
DHA1820		400 mm	(NC 6420, 6430)	○
DHA1825		410 mm	(NC 6430)	○
DHA1830		420 mm	(NC 6430)	○
DHA1835		430 mm		○
DHA1840		440 mm		○
DHA1845		450 mm		○
DHA1850		460 mm		○
DHA1855		470 mm	(NC 6410)	○
DHA1860		480 mm	(NC 6410)	○

**LOWER LEG LENGTH. Cushion height must be deducted\***

DHA1936		380 mm		○
DHA1938		390 mm		○
DHA1940		400 mm		○
DHA1942		410 mm		○
DHA1944		420 mm		○
DHA1946		430 mm		○
DHA1948		440 mm		○
DHA1950		450 mm		○
DHA1952		460 mm		○
DHA1954		470 mm		○
DHA1956		480 mm		○
DHA1958		490 mm		○
DHA1960		500 mm		○

**BACKREST\***

DHA2140		Angle Adustable, Forward Folding with Soft Lock. Backrest remains locked for transportation		◆
---------	--	---	--	---

**BACKREST UPHOLSTERY\***

DHA2200		Black Standard Light Upholstery, without Tension Adjustment	(NC 2430)	◆
DHA2220		Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener		£137
DHA2230		Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener		£223
DHA2240		Without Backrest Upholstery Select if fitting a Matrix/Fixed backrest, no upholstery required	(NC 2430)	○

**PUSH HANDLES\***

DHA2400		Without Push Handles		◆
DHA2410		Push Handles Fixed Short/Mini Grip		£133
DHA2420		Push Handles Fixed Long Grip		○
DHA2430		Push Handles Height Adjustable, Rear Set	(NC 3480)	£254
DHA2440		Push Handles Height Adjustable, Integrated in backrest		£219
DHA2450		Push Handles Foldable		£198

<b>BACKREST ANGLE*</b>			
DHA2510		76° angle from the seat	○
DHA2530		80.5° angle from the seat	○
DHA2550		85° angle from the seat	◆
DHA2570		89.5° angle from the seat	○
DHA2590		94° angle from the seat	○
<b>SEAT UPHOLSTERY*</b>			
DHA2600		Standard Seat Upholstery	◆
<b>SEAT CUSHION</b>			
DHA2700		Standard Seat Cushion, 60mm High Double Foam with Visco Top Layer - Comfort/Low Risk (NC 2810, 2820, 2830, 2840, 2850)	£66
DHA2710		Flo-Tech Lite Cushion 78mm High - Comfort/Low Risk (NC 2810, 2820, 2830, 2840, 2850)	£121
DHA2720		Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk	£410
DHA2748		Contour Visco NG Cushion 100mm High - High Risk (NC 2810, 2820, 2830, 2840, 2850)	£169
DCA2750		Vicair Active O2 lightweight cushion 60mm High - High risk (NC 2810, 2820, 2830, 2840, 2850, 2860)	£521
<b>SEAT BAG</b>			
DHA2800		Seat Bag, Click in and removable, includes the fixation clips	£74
<b>MATRIX LIBRA CUSHION ACCESSORIES</b>			
DHA2810		Fluid supplement sac (Pair)	£44
DHA2820		Tapered wedge (Pair)	£30
DHA2830		Abductor	£23
DHA2840		Lateral side wedge	£20
DHA2850		Anterior front wedge	£27
<b>SEAT RIGIDIZER</b>			
DHA2860		Seat rigidizer	£39
<b>FOOTREST*</b>			
DHA3240		Rigid, Plastic Footplate, Set to front, Height and Angle Adjustable. Note: This does not flip up for transfer, but folds easy for transport and storage	◆
DHA3250		Rigid, Plastic Footplate, Set to rear, Height and Angle Adjustable. Note: This does not flip up for transfer, but folds easy for transport and storage	○
<b>CALF STRAP*</b>			
DHA3320		Calf Strap Mounted on Supporter	◆
DHA3330		Calf Strap Mounted on Frame	○
<b>CLOTHESGUARDS/MUDGUARDS We are currently experiencing an extended leadtime of 12 weeks on carbon clothes/mudguards*</b>			
DHA3405		Composite Clothesguards, Flip Back - (only possible with 24" and 25" rear wheels) (NC 6430)	○
DHA3420		Carbon Clothesguards, Flip Up (Currently we have an extended leadtime of 12 weeks on carbon clotheguards)	◆
DHA3425		Composite Mudguards, Fixed (only possible with 24" and 25" rear wheels) (NC 3490, 6430)	£65
DHA3430		Carbon Mudguards, Fixed (Currently we have an extended leadtime of 12 weeks on carbon fixed mudguards) (NC 3490)	£247
DHA3440		Carbon Mudguards, Removable (Currently we have an extended leadtime of 12 weeks on carbon removable mudguards) (NC 3490)	£307
DHA3450		Composite Mudguards, Removable (only possible with 24" & 25" rear wheels) (NC 3490, 6430)	£65

ARMREST			
DHA3480		Tubular Armrest. Height Adjustable, Removable, Non-locking, Swing-away and Comfort Padded, no Clothesguard included	£241
DHA3490		Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included	£106
FRAME COLOUR*			
DHA4000		Space Black (Standard)	○
DHA4010		Anthracite Grey (Standard)	○
DHA4020		Pure White (Standard)	○
DHA4030		Carmine Red (Standard)	○
DHA4040		Azure Blue (Standard)	○
DHA4060		Flashy Yellow (Additional 10 day lead time)	£31
DHA4070		Atomic Violet (Additional 10 day lead time)	£31
DHA4100		Black Glossy (Additional 10 day lead time)	£31
DHA4130		Silver Grey (Additional 10 day lead time)	£31
DHA4140		Royal Blue (Additional 10 day lead time)	£31
DHA4150		Ruby Red (Additional 10 day lead time)	£31
DHA4170		Dynamite Orange (Additional 10 day lead time)	£31
DHA4180		Forest Green (Additional 10 day lead time)	£31
DHA4050		Personal frame colour. Provide standard RAL colour code of your choice	£311
FRAME DECAL TYPE*			
DHA4195		Tag (Small Kuschall brand transfer on front of frame)	(NC 2222) ◆
DHA4197		Without Tag (Kuschall branding only)	(NC 4300, 4310) ○
TAG COLOUR*			
DHA4300		Black	○
DHA4310		Red	○
DHA2222		No tag colour, select only with Option DHA4197 Without Tag	(NC 4195) ○
FRONT CASTORS*			
DHA5000		75mm x 25mm (3" x 1") Supersport	○
DHA5050		100mm x 30mm (4" x 1.2") Everyday Black hub and tyre	○
DHA5100		100mm x 30mm (4" x 1.2") Comfort Black hub and tyre	○
DHA5150		100mm x 25mm (4" x 1") Starec Black hub and tyre	£83
DHA5200		100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)	£93
DHA5250		100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)	£93
DHA5300		125mm x 30mm (5" x 1.2") Everyday Black hub and tyre	○
DHA5350		125mm x 30mm (5" x 1.2") Comfort Black hub and tyre	◆
DHA5400		125mm x 25mm (5" x 1") Starec Black hub and tyre	£83
DHA5450		125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)	£93
DHA5500		125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)	£93

<b>REAR WHEEL POSITION (CENTRE OF GRAVITY)*</b>			
DHA6100		1st from front Most Active Position	○
DHA6110		2nd from front	○
DHA6120		3rd from front	○
DHA6130		4th from front	○
DHA6140		5th from front	◆
DHA6150		6th from front	○
DHA6160		7th from front	○
DHA6170		8th from front	○
DHA6180		9th from front	○
<b>QUAD QUICK RELEASE AXLE</b>			
DHA6300		Quad Quick Release/Tetra Clip (NC 6550)	£85
<b>REAR WHEEL SIZE*</b>			
DHA6410		24"	◆
DHA6420		25" (NC 6510, 6600, 6630, 6660, 6700, 6710, 6720, 6760, 6770, 6900)	○
DHA6430		26" (NC 6520, 6550, 6600, 6630, 6660, 6720, 6740, 6750, 6760, 6770)	○
<b>REAR WHEEL TYPE*</b>			
DHA6510		24", 26" Kuschall Starec Wheel, 24" & 26" Black Cross Spokes, Rim & Hub.	◆
DHA6520		24", 25" High Performance Wheel Black hub and rim (NC 6660)	£182
DHA6550		24", 25" Spinergy L XK, Black hub, rim and 18 spokes in Black (NC 6660)	£611
SWO0907		24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKuschall (NC 6660)	£486
SWO0909		24", 25" Spinergy LX, Chrome hub and 12 spokes in Black. Coloured spokes are available via MyKuschall (NC 6660)	£735
<b>REAR WHEEL TYRE*</b>			
DHA6600		24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection	◆
DHA6625		24", 25", 26" x 1" Maxxis Alpha Protect. Lightweight, Pneumatic and highly puncture resistant.	£100
DHA6630		24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)	£97
DHA6660		24" x 1 3/8" Solid Profile Black Tyre (NC 7230)	£66

<b>HANDRIM*</b>			
DHA6700		24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance	£223
DHA6710		24", 26" Steel, short tab with 1 hole, mounted at 3cm distance	£62
DHA6720		24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance	£192
DHA6740		24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip	£320
DHA6750		24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands	£320
DHA6760		24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion	£284
DHA6770		24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim	£356
DHA6780		24", 25", 26" Light Aluminium Grey, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance	◆
DHA6790		24", 25", 26" Light Aluminium Black, short tab with 1 hole for 3cm mounting	£42
<b>REAR WHEEL CAMBER*</b>			
DHA6820		0° Camber	◆
DHA6830		1° Camber	○
DHA6840		3° Camber (NC 7230)	○
<b>SPOKEGUARD</b>			
DHA6900		22", 24", 26" Transparent	£120
<b>FIXATION CLIP*</b>			
DHA7000		Fixation Strap (Hook and loop strap under the seat holds the frame together when folded for easy transportation, designed for clients with limited hand function)	○
DHA7010		Fixation Clip (Plastic clip on either side of the seat holds the frame together when folded for easy transportation)	◆
DHA3333		No fixation clip, select with Tapered frame options 1170, 1180	○
<b>UNFOLDING HELP*</b>			
DHA7100		Unfolding Help (Cord to help open the folding mechanism from the front of the chair)	◆
<b>BRAKES*</b>			
DHA7200		Pull Brakes	£78
DHA7210		Standard Push to Lock Brakes, Lever Bent	◆
DHA7220		Standard Push to Lock Brakes, Lever Straight	○
DHA7230		Performance Brakes, Push to Lock. Brake barrel flips away from tyre (NC 7300, 7810, 7820, 7830)	£78
DHA7240		Active/Scissor Brakes (NC 7300)	£78
DHA7250		Light/Compact Active, Aluminium Brakes (NC 7300)	£136
<b>BRAKE LEVER EXTENSION</b>			
DHA7300		Brake Lever Extension	£49

<b>SAFETY OPTIONS</b>			
DHA7500		Anti-Tipper Right	£122
DHA7510		Anti-Tipper Left	£122
DHA7520		Anti-Tipper Both sides	£244
DHA7800		Standard Pelvic belt	£74
<b>BODYPOINT BELTS</b>			
DHA7810		Bodypoint Posture Belt Evoflex Small	£81
DHA7820		Bodypoint Posture Belt Evoflex Medium	£81
DHA7830		Bodypoint Posture Belt Evoflex Large	£81
<b>OTHER OPTIONS</b>			
DHA8010		Front Frame Protectors; 2 Piece. Removable with hook and loop	£37
DHA8100		Tipper-Aid, Mounted Right Side Max. 2 adaptions per side (Adaptations = Anti tipper, Tipper aid and Cane holder)	£46
DHA8200		Cane Holder, Mounted Right Side Max. 2 adaptions per side (Adaptations = Anti tipper, Tipper aid and cane holder)	£75
DHA8500		Air Pump	£13
DHA8550		Tool Kit	◆
DHA8680		24" Mountain Bike Wheels with bag. Fitted with Specific Black Tyres, Grey Aluminium Handrims; Quick Release Axles Included	£320
DHA8750		Travel bag for Champion SK,	£373
<b>BODYPOINT ACCESSORIES</b>			
DHA8800		Bodypoint Calf Strap	£57
DHA8850		Bodypoint Mobility Bag	£55

<b>TOTAL PRICE</b>	
--------------------	--



**Non Conforming Options:**

DHA1946	430 mm
DHA1948	440 mm
DHA1950	450 mm
DHA1952	460 mm
DHA1954	470 mm
DHA1956	480 mm
DHA1958	490 mm
DHA1960	500 mm
DHA2200	Black Standard Light Upholstery, without Tension Adjustment
DHA2220	Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener
DHA2230	Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener
DHA2240	Without Backrest Upholstery Select if fitting a Matrix/Fixed backrest, no upholstery required
DHA2400	Without Push Handles
DHA2430	Push Handles Height Adjustable, Rear Set
DHA2710	Flo-Tech Lite Cushion 78mm High - Comfort/Low Risk
DHA2720	Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk
DHA2748	Contour Visco NG Cushion 100mm High - High Risk
DHA2810	Fluid supplement sac (Pair)
DHA2820	Tapered wedge (Pair)
DHA2830	Abductor
DHA2840	Lateral side wedge
DHA2850	Anterior front wedge
DHA2860	Seat rigidizer
DHA3480	Tubular Armrest. Height Adjustable, Removable, Non-locking, Swing-away and Comfort Padded, no Clothesguard included
DHA3490	Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included
DHA4195	Tag (Small Kuschall brand transfer on front of frame)
DHA4300	Black
DHA4310	Red
DHA2222	No tag colour, select only with Option DHA4197 Without Tag
DHA5000	75mm x 25mm (3" x 1") Supersport
DHA5050	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre
DHA5100	100mm x 30mm (4" x 1.2") Comfort Black hub and tyre
DHA5150	100mm x 25mm (4" x 1") Starec Black hub and tyre
DHA5200	100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)
DHA5250	100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)
DHA6410	24"
DHA6420	25"
DHA6430	26"
DHA6510	24", 26" Kuschall Starec Wheel, 24" & 26" Black Cross Spokes, Rim & Hub.
DHA6520	24", 25" High Performance Wheel Black hub and rim
DHA6550	24", 25" Spinergy L XK, Black hub, rim and 18 spokes in Black
DHA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection
DHA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)

DHA6660	24" x 1 3/8" Solid Profile Black Tyre
DHA6700	24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance
DHA6710	24", 26" Steel, short tab with 1 hole, mounted at 3 cm distance
DHA6720	24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance
DHA6740	24" , 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip
DHA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands
DHA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion
DHA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim
DHA6900	22", 24", 26" Transparent
DHA7000	Fixation Strap (Hook and loop strap under the seat holds the frame together when folded for easy transportation, designed for clients with limited hand function)
DHA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre
DHA7300	Brake Lever Extension
DHA7810	Bodypoint Posture Belt Evoflex Small
DHA7820	Bodypoint Posture Belt Evoflex Medium
DHA7830	Bodypoint Posture Belt Evoflex Large



For a more complex customer requirement please refer to our Invacare Unique special order form. email [specialsuk@invacare.com](mailto:specialsuk@invacare.com) or Fax: 01656 776220

Special Instructions

Please supply the following information:

Name: \_\_\_\_\_ Email: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Description of special request (please include relevant option code or part number):